

elmex Micro Terminal Blocks are small in size and light in weight yet functionally the same as Standard Terminal Blocks. They are specially developed for installation where space is extremely limited but the same cable density is required as in a normal situation. They can be mounted on TS 15 Rail, which is also smaller, lighter and more economical than TS 32 and TS 35 Rails.

The terminals are recommended for use in industries like Elevators, Automation, etc.

DESCRIPTION	SUT 1.5	SUT 4	CET 4						
TERMINAL PITCH	5 mm (0.2 inch)	6 mm (0.24 inch)	6.5 mm (0.26 inch)						
HEIGHT x WIDTH in mm (Inch)	24 x 22.5 (0.94 x 0.89)	29 x 27 (1.14 x 1.06)	29 x 26 (1.14 x 1.02)						
RATED CROSS SECTION	1.5 sq mm	2.5 sq mm	4 sq mm						
CONNECTION	Flexible								
POSSIBILITY	Rigid								
WIRE STRIPPING LENGTH	7 mm	8 mm	8 mm						
TYPE OF CONNECTION	2 screw clamp & 1 tapped hole for cross connection	2 screw clamp & 1 tapped hole for cross connection	2 screw clamp & 1 tapped hole for cross connection						
RATINGS	IEC 60947-7-1 	500 V/24 A/2.5 sq mm/ 0.5 Nm 300 V/18 A/14-24 AWG/3.5 Lbln	500 V/32 A/4 sq mm/ 0.5 Nm --						
SCREW SIZE	M 2.6	M3	M3						
TERMINAL TYPE	CAT #	STD. PKG.	WT/STD.PKG-KG	CAT #	STD. PKG.	WT/STD.PKG-KG	CAT #	STD. PKG.	WT/STD.PKG-KG
END PLATE	SUT 1.5	100	0.38	SUT 4	100	0.57	CET 4	100	0.56
END CLAMPS	ES 2	100	0.06	ES 4	100	0.12	EPMN	100	0.12
	SCM	200	0.72	SCM	200	0.72	SCM	200	0.72
	SCMN	100	0.25	SCMN	100	0.25	SCMN	100	0.25
SHORTING LINK ASSEMBLY	CCLA 1.5-2W	100	0.25	CCLA DD-2W	100	0.25	SLE - 2W	100	0.12
	CCLA 1.5-3W	100	0.38	CCLA DD-3W	100	0.38	SLE - 3W	100	0.18
	CCLA 1.5-4W	100	0.50	CCLA DD-4W	100	0.51	SLE - 4W	100	0.24
	CCLA 1.5-5W	50	0.32	CCLA DD-5W	50	0.32	SLE - 5W	50	0.15
	CCLA 1.5-10W	50	0.63	CCLA DD-10W	50	0.65	--	--	--
COMB LINK	--	--	--	SLCM2.5 - 2W	100	0.20	--	--	--
	--	--	--	SLCM2.5 - 3W	100	0.30	--	--	--
	--	--	--	SLCM2.5 - 4W	100	0.40	--	--	--
	--	--	--	SLCM2.5 - 5W	50	0.25	--	--	--
	--	--	--	SLCM2.5 - 10W	50	0.50	--	--	--
MARKING LABEL	--	--	--	Label KN 5.5	100 Strips	0.08	Label KN 5.5	100 Strips	0.08
COLOUR:	GREY, KHAKHI RED, YELLOW, BLUE BLACK, GREEN	SUT1.5(G), SUT1.5(K) SUT1.5(R), SUT1.5(Y), SUT1.5(B) SUT1.5(BL), SUT1.5(GR)	SUT4(G), SUT4(K) SUT4(R), SUT4(Y), SUT4(B) SUT4(BL), SUT4(GR)	CET4(G), CET4(K) CET4(R), CET4(Y), CET4(B) CET4(BL), CET4(GR)					
MOUNTING CHANNEL	CHM 10	100	30	CHM 10	100	30	CHM 10	100	30
STANDARD LENGTHs	300mm, 500mm, 1000mm								



NET 4			MBT 4			PET 4				
6.5 mm (0.26 inch)			6 mm (0.24 inch)			6 mm (0.24 inch)				
29 x 26 (1.14 x 1.02)			31.25 x 28 (1.23 x 1.10)			27 x 27 (1.06 x 1.06)				
4 sq mm			2.5 sq mm			4 sq mm				
0.5 sq mm - 4 sq mm			0.2 sq mm - 2.5 sq mm			0.2 sq mm - 4 sq mm				
0.5 sq mm - 6 sq mm			0.2 sq mm - 4 sq mm			0.2 sq mm - 4 sq mm				
8 mm			8 mm			9 mm				
2 screw clamp & 1 tapped hole for cross connection			2 screw clamp & 1 tapped hole for cross connection			2 screw clamp & 1 tapped hole for cross connection				
500 V/32 A/4 sq mm/ 0.5 Nm 300 V/37 A/10-24 AWG/4 Lbln			630 V/30 A/2.5 sq mm/0.5 Nm 300 V/35 A/10-22 AWG/5 Lbln			500 V/32 A/4 sq mm/ 0.5 Nm --				
M3			M3			M3				
						<b>PANEL MOUNTED</b>				
CAT #	STD. PKG.	WT/STD.PKG-KG	CAT #	STD. PKG.	WT/STD.PKG-KG	CAT #	STD. PKG.	WT/STD.PKG-KG		
NET 4	100	0.6	MBT 4	100	0.63	PET 4	100	0.57		
EPMN	100	0.12	MP1	100	0.14	EPP	100	0.25		
SCM	200	0.72	SCM	200	0.72	SCM	200	0.72		
SCMN	100	0.25	SCMN	100	0.25	SCMN	100	0.25		
SLE - 2W	100	0.12	SLU4 - 2W	100	0.33	CCLA DD-2W	100	0.25		
SLE - 3W	100	0.18	SLU4 - 3W	100	0.48	CCLA DD-3W	100	0.38		
SLE - 4W	100	0.24	SLU4 - 4W	100	0.66	CCLA DD-4W	100	0.51		
SLE - 5W	50	0.15	SLU4 - 5W	50	0.40	CCLA DD-5W	50	0.32		
--	--	--	SLU4 - 10W	25	0.40	CCLA DD-10W	50	0.65		
--	--	--	--	--	--	SLCM2.5 - 2W	100	0.20		
--	--	--	--	--	--	SLCM2.5 - 3W	100	0.30		
--	--	--	--	--	--	SLCM2.5 - 4W	100	0.40		
--	--	--	--	--	--	SLCM2.5 - 5W	50	0.25		
--	--	--	--	--	--	SLCM2.5 - 10W	50	0.50		
Label KN 6.5	100 Strips	0.10	Label U 6	100 Strips	0.14	Label KN 5.5	100 Strips	0.08		
NET4(G), NET4(K)			MBT4(G), MBT4(K)			PET4(G), PET4(K)				
NET4(R), NET4(Y), NET4(B)			MBT4(R), MBT4(Y), MBT4(B)			PET4(R), PET4(Y), PET4(B)				
NET4(BL), NET4(GR)			MBT4(BL), MBT4(GR)			PET4(BL), PET4(GR)				
CHM 10	100	30	CHM 10	100	30	Not Applicable				

